	HEALTH 1 FLAMMABILITY 0 PHYSICAL 0 PPE X						
1. Product and Company Identification							
Product Code:	CH400						
Product Name:	Goof Off Power Cleaner & Degreaser						
Manufacturer Information							
Company Name:	W. M. Barr						
	2105 Channel Avenue						
	Memphis, TN 38113						
Phone Number:	(901)775-0100						
Emergency Contact:	3E 24 Hour Emergency Contact (800)451-8346						
Information:	W.M. Barr Customer Service (800)398-3892						
Web site address:	www.wmbarr.com						
Preparer Name:	W.M. Barr EHS Dept (901)775-0100						
Synonyms							
FG684, FG686							
Revision Date:	01/17/2013						
2. Composition/Information on Ingredients							
Hazardous Components (Chemical Name)	CAS # Concentration OSHA PEL ACGIH TLV						

1. Hydrotreated light distillate (petroleum)

3. Hazards Identification

No data.

200 mg/m3

64742-47-8 15.0 -40.0 %

Emergency Overview

No data available.

Potential Health Effects (Acute and Chronic)

This product has not been tested as a whole to determine health effects. The health effects listed below are associated with the individual ingredients listed in Section 3.

EYES:

May cause eye irritation.

SKIN:

Prolonged skin contact may cause skin irritation and/or dermatitis.

INHALATION:

Prolonged exposure through inhalation may be harmful.

INGESTION: Harmful if swallowed.

CHRONIC OVEREXPOSURE EFFECTS: None known.

TARGET ORGANS: skin, eyes

PRIMARY ROUTES OF ENTRY:

skin

Signs and Symptoms Of Exposure

No data available.

Medical Conditions Generally Aggravated By Exposure

No data available.

OSHA Regulatory Status:

This material is classified as hazardous under OSHA regulations.

4. First Aid Measures

Emergency and First Aid Procedures

Skin:

Immediately begin washing the skin thoroughly with large amounts of water and mild soap, if available, while removing contaminated clothing. Seek medical attention if irritation persists.

Eyes:

Immediately begin to flush eyes with water, remove any contact lens. Continue to flush the eyes for at least 15 minutes, then seek immediate medical attention.

Inhalation:

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention.

Ingestion:

If swallowed, do NOT induce vomiting. Seek immediate medical attention. Call a physician, hospital emergency room, or poison control center immediately. Never give anything by mouth to an unconscious person. If spontaneous vomiting is about to occur, place victim's head below knees. If victim is drowsy or unconscious, place on the left side with head down.

Note to Physician

Treat symptomatically.

5. Fire Fighting Measures Flash Pt: No data. Explosive Limits: LEL: No data. UEL: No data. Autoignition Pt: No data available.

Fire Fighting Instructions

Self-contained respiratory protection should be provided for fire fighters fighting fires in buildings or confined areas. Storage containers exposed to fire should be kept cool with water spray to prevent pressure build-up. Stay away from heads of containers that have been exposed to intense heat or flame.

Flammable Properties and Hazards

Flashpoint: No flash to boiling. This material does not exhibit a flashpoint per the Setaflash Closed Cup test method.

Material will burn when dried.

Hazardous Combustion Products

carbon monoxide, carbon dioxide

Extinguishing Media

Non-combustible liquid - use extinguishing media for underlying cause of fire.

Unsuitable Extinguishing Media

None known.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled

Isolate the immediate area. Prevent unauthorized entry. Stay upwind, out of low areas, and ventilate closed spaces before entering. Do not touch or walk through spilled material. Stop leak if you can do so without risk. Prevent entry into waterways, sewers, or confined areas. A vapor suppressing foam may be used to reduce vapors. Absorb or cover with dry earth, sand, or other non-combustible material and transfer to compatible containers. For large spills, dike ahead of the spill.

7. Handling and Storage

Precautions To Be Taken in Handling

Read carefully all cautions and directions on product label before use. Since empty container retains residue, follow all label warnings even after container is empty. Dispose of empty container according to all regulations. Do not reuse this container.

Avoid breathing of vapors or mist. Avoid contact with eyes and skin.

A source of clean water should be available in or near the work area for flushing of the eyes and skin if contact occurs.

Precautions To Be Taken in Storing

Keep container tightly closed when not in use. Store in a cool, dry place.

8. Exposure Controls/Personal Protection

Respiratory Equipment (Specify Type)

When used as directed, respiratory equipment should not be needed.

Wear NIOSH approved respiratory protective equipment when vapor or mists may exceed applicable concentration limits.

Eye Protection

Safety glasses should be worn during normal handling of this material.

Where contact with the eyes or face is likely, a faceshield or chemical splash goggles should be worn to prevent eye contact.

Protective Gloves

Wear gloves with as much resistance to the chemical ingredients as possible. Glove materials such as nitrile rubber may provide protection. Glove selection should be based on chemicals being used and conditions of use. Consult your glove supplier for additional information. Gloves contaminated with product should be discarded and not reused.

Other Protective Clothing

Various application methods can dictate use of additional protective safety equipment, such as impermeable aprons, etc., to minimize exposure.

Engineering Controls (Ventilation etc.)

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

Use only with adequate ventilation to prevent buildup of vapors. Do not use in areas where vapors can accumulate and concentrate, such as basements, bathrooms or small enclosed areas. Whenever possible, use outdoors in an

Page: 4 Printed: 01/17/2013 Revision: 01/17/2013 Supercedes Revision: 11/07/2012

open air area. If using indoors open all windows and doors and maintain a cross ventilation of moving fresh air across the work area. If strong odor is noticed or you experience slight dizziness, headache, nausea or eye-watering -- STOP -- ventilation is inadequate. Leave area immediately and move to fresh air.

Work/Hygienic/Maintenance Practices

Wash hands thoroughly after use and before eating, drinking, smoking, or using the restroom.

Do not eat, drink, or smoke in the work area.

Discard any clothing or other protective equipment that cannot be decontaminated.

Facilities storing or handling this material should be equipped with an emergency eyewash and safety shower.

9. 1	Physical and Chemical Properties
Physical States:	[]Gas [X]Liquid []Solid
Melting Point:	No data.
Boiling Point:	No data.
Autoignition Pt:	No data.
Flash Pt:	No data.
Specific Gravity (Water = 1):	0.915
Density:	7.61 LB/GL
Vapor Pressure (vs. Air or mm Hg):	17.2 MM HG at 68 F
Vapor Density (vs. Air = 1):	No data.
Evaporation Rate:	No data.
Solubility in Water:	Complete
Percent Volatile:	No data.
Appearance and Odor Milky Liquid	
	10. Stability and Reactivity
Stability:	Unstable [] Stable [X]
Conditions To Avoid - Instability No data available. Incompatibility - Materials To Avoid	
Oxidizers Hazardous Decomposition Or Bypro	oducte
carbon monoxide, carbon dioxide	
Hazardous Polymerization:	Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Po No data available.	blymerization
	11. Toxicological Information
Toxicological Information	

9. Physical and Chemical Properties

No data available.

Page: 5 Printed: 01/17/2013 Revision: 01/17/2013 11/07/2012

				Supercedes Revision: 11/07/2012		
Chronic Toxicological Effects						
No data available.						
Carcinogenicity/Other Information						
ACGIH A4 - Not Classifiable a	as a Human Carcir	nogen.				
Hazardous Components (Chemical Name)	CAS #	NTP	IARC	ACGIH	OSHA	
1. Hydrotreated light distillate (petroleum)	64742-47-8	n.a.	n.a.	A4	n.a.	
	12. Ecolo	gical Inforn	nation			
General Ecological Information						
No data available.						
	13. Dispos	al Conside	rations			
Waste Disposal Method	•					
Dispose in accordance with app	plicable local, state	e and federal re	gulations.			
	14. Trans	port Inform	nation			
LAND TRANSPORT (US DOT)		•				
DOT Proper Shipping Name	No data available.					
Additional Transport Information		510.				
For D.O.T. information, contac	t W M Barr Tech	nical Sarvicas	at 1 800 308 3807			
			at 1 000 570 5072.			
	15. Regula	atory Inforr	nation			
US EPA SARA Title III						
Hazardous Components (Chemical Name)	CAS #	Sec.302 (EHS)	Sec.304 RQ	Sec.313 (TRI)	Sec.110	
1. Hydrotreated light distillate (petroleum)	64742-47-8	No	No	No	No	
US EPA CAA, CWA, TSCA						
Hazardous Components (Chemical Name)	CAS #	EPA CAA	EPA CWA NPDES	EPA TSCA	CA PROP 65	
1. Hydrotreated light distillate (petroleum)	64742-47-8	HAP, ODC ()	No	Inventory	No	
EPA Hazard Categories:						
This material meets the EPA 'H	e e				ndicated:	
	[X] Yes [] No	Acute (imme	diate) Health Hazar	ď		
	[] Yes [X] No	Chronic (delayed) Health Hazard				
	[] Yes [X] No	> Fire Hazard				
	[] Yes [X] No	Sudden Rele	ase of Pressure Ha	azard		
	[] Yes [X] No	Reactive Haz	zard			
Regulatory Information Statement						
All components of this materia	l are listed on the '	TSCA Inventor	ry or are exempt.			
	16. Oth	er Informa	tion			

Company Policy or Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, state and local laws and regulations.